
Installation manual YC8003-XS-75




Thank you for shopping with us!


We encourage you to take a few minutes to go through this booklet. It contains important information on installation and care tips to keep your furniture looking as good as new.

<u> </u>						
	Cleaning agent with (acidic) mark	Bathroom cabinet may change color				
Prohibited	Cleaning agent with (alkaline) mark	Battiloom cabillet may change color				
	1.Many cleaners contain abrasives ar clean stainless steel, enamel, plating must be cleaned with a mild detergen wash is washed, and then wiped dry	or plastic products. These surfaces t or make-up solution, the residual				
1	2.Please keep a good ventilation in the bathroom. you can dry and wet che separation. usually, keep opening the window and opening the door.					
Must be executed	3. The bathroom cabinets are subjected to strict moisture-proof treatment, When using, the bathroom cabinets are not allowed to be watered or splashed. Good moisture resistance can ensure good use at high relative humidity, so please avoid the bathroom is too humid, in case of water, it should be dried in time.					
	4.Maintenance of the door panel: Regularly clean and wipe with a soft cloth. The cold water vapor after bathing should be dried with a dry cloth to keep the door panel dry.					
	5.Do not sit, lean, lean on, or step on the washbasin cabinet during daily use					


Recommended tools











		•		Ų
_	Hardware			
	A=28 PCS	B=28 PCS	C=28 PCS	D=4 PCS
	4*14mm	4*25mm	4*30mm	
	E=45 PCS	F=6 PCS	G=8 PCS	H=2 PCS
	0 0			
	I=2 PCS	J=1 PCS	K=1 PCS	L=2 PCS
	M=2 PCS	N=2 PCS	O=4 PCS	
























C*28

